	e e		12/1
	Application No.	Applicant(s)	
	09/830,635	TARAN, ALEXANDE	ER IVANOVICH
Notice of Allowability	Examiner	Art Unit	
	Jeremy C. Norris	2841	,
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. X This communication is responsive to the Petition to Revive filed 17 October 2007.			
2. The allowed claim(s) is/are <u>37-45</u> .			
 Acknowledgment is made of a claim for foreign priority unapplication. a)	been received. been received in Application No		tion from the
* Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
		· •	
Attachment(s)	• -		
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 	5. Notice of Informal Pa	• •	
	6. ☐ Interview Summary (Paper No./Mail Date	ė	
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. Examiner's Amendm	nent/Comment	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. X Examiner's Stateme	nt of Reasons for Allo	wance
of biological Material	9.		

DETAILED ACTION

Allowable Subject Matter

Claims 37-45 are allowed.

The following is an examiner's statement of reasons for allowance: Claim 37 states the limitation "further comprising a contact made in the form of a rod fixed in the underlying connection layer orthogonally to its surface inserted into the metallized hole". This limitation, in conjunction with the other claimed limitations was neither found to be disclosed in, nor suggested by the prior art. Claim 44 states the limitation "wherein the diameter D of the upper base of the truncated cone, the width h of the metallized rim, the diameter d of the lower base of the truncated cone, the thickness t of the dielectric material of the connection layer and the minimal width L of the respective metallized contact pad on the underlying connection layer are coupled with the following relationship: $L \ge D + 2h = d + 2t + 2h$ ". This limitation, in conjunction with the other claimed limitations was neither found to be disclosed in, nor suggested by the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Additional, the Examiner notes that the allowance of the claims is based on the above listed limitations in conjunction with the other claimed features. Thus it is the combination as a whole which imparts patentability.

Application/Control Number:

09/830,635 Art Unit: 2841

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeremy C. Norris whose telephone number is 571-272-1932. The examiner can normally be reached on Monday - Thursday, 8:00 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego Gutierrez can be reached on 571-272-2245. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Jeremy C. Norris Primary Examiner Art Unit 2841

jcsn